

2003
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates
where available

Jurisdiction Report

37
Goochland County

Prepared By
Virginia Department of Transportation
Mobility Management Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Mobility Management Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management's Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
	US Route	
	Virginia State Route	
	Secondary Route	

Special Routes

Bus 	Bus - Business Route
	Bypas - Bypass Route
	Truck - Truck Route
ALT 	ALT - Alternate Route
	Wve - Wye Route connector
	P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
	The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
6	6.01	1700	F	From:	Fluvanna County Line, ECL Columbia					C	0.092	F	0.623	1700	F	2003
				To:	92%	1%	2%	1%	4%							
6	6.47	3600	F	From:	SR 45 Georges Tavern					F	0.095	F	0.707	3600	F	2003
				To:	92%	1%	2%	1%	4%							
6	3.41	5300	F	From:	37-600					F	0.096	F	0.778	5400	F	2003
				To:	92%	1%	2%	1%	4%							
6 522	1.74	7900	F	From:	W US 522					F	0.085	F	0.571	8000	F	2003
				To:	94%	1%	1%	1%	3%							
6	4.95	4700	F	From:	E US 522					C	0.113	F	0.753	4800	F	2003
				To:	96%	1%	1%	1%	1%							
6	5.90	5800	F	From:	37-628					F	0.102	F	0.615	5900	F	2003
				To:	96%	0%	1%	2%	1%							
6	4.92	8000	F	From:	37-662					C	0.094	F	0.501	8100	F	2003
				To:	96%	0%	1%	2%	1%							
45	2.47	1000	F	From:	Henrico County Line					F	0.084	F	0.692	1100	F	2003
				To:	94%	1%	1%	0%	3%							
45	2.57	1300	F	From:	Cumberland County Line					C	0.096	F	0.744	1300	F	2003
				To:	94%	1%	1%	0%	3%							
East 64	1.11	12000	F	From:	SR 6 Georges Tavern					F	0.086	F		11000	F	2003
				To:	86%	1%	1%	1%	11%							
East 64	3.92	12000	F	From:	Maintenance Boundary					F	NA		23000	F		
				To:	86%	1%	1%	1%	11%							0%
East 64	5.20	13000	F	From:	37-605					F	0.087	F		11000	F	2003
				To:	86%	1%	1%	1%	11%							
East 64	5.20	13000	F	From:	37-629					F	0.082	F		12000	F	2003
				To:	86%	1%	1%	1%	11%							
East 64	5.20	25000	F	From:	37-629					F	NA		23000	F		
				To:	86%	1%	1%	1%	11%							0%
East 64	5.20	25000	F	From:	Louisiana County Line					F	NA		23000	F		
				To:	86%	1%	1%	1%	11%							0%
Louisa County																
East 64	1.49	13000	F	From:	Goochland County Line					F	0.082	F		12000	F	2003
				To:	86%	1%	1%	1%	11%							
East 64	3.07	15000	F	From:	US 522					F	0.1	F		14000	F	2003
				To:	86%	1%	1%	1%	11%							
East 64	3.07	31000	F	From:	Goochland County Line					F	NA		28000	F		
				To:	86%	1%	1%	1%	11%							0%
Goochland County																
East 64	4.81	15000	F	From:	Louisiana County Line					F	0.1	F		14000	F	2003
				To:	86%	1%	1%	1%	11%							
East 64	6.56	22000	F	From:	37-617					F	0.130	F		20000	F	2003
				To:	86%	1%	1%	1%	11%							
East 64	6.56	39000	F	From:	37-623					F	NA		36000	F		
				To:	86%	1%	1%	1%	11%							0%
East 64	1.19	22000	N	From:	SR 288					N	0.130	N		20000	N	2003
				To:	86%	1%	1%	1%	11%							
East 64	0.64	25000	N	From:	SR 288					N	0.129	N		23000	N	2003
				To:	86%	1%	1%	1%	11%							
East 64	0.64	49000	N	From:	Henrico County Line					N	0.091	N	0.668	45000	N	
				To:	86%	1%	1%	1%	11%							

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Goochland County																	
West 64				From	Maintenance Boundary												
	1.50	13000	F	86%	1%	1%	1%	11%	0%	F	0.077	F		12000	F	2003	
	Combined Traffic:		24000	F	86%	1%	1%	1%	11%	0%	F	NA		23000	F		
West 64				To	37-605												
	3.92	13000	F	86%	1%	1%	1%	11%	0%	F	0.081	F		12000	F	2003	
	Combined Traffic:		25000	F	86%	1%	1%	1%	11%	0%	F	NA		23000	F		
West 64				To	37-629												
	4.75	12000	F	86%	1%	1%	1%	11%	0%	F	0.083	F		11000	F	2003	
	Combined Traffic:		25000	F	86%	1%	1%	1%	11%	0%	F	NA		23000	F		
				To	Louisa County Line												
Louisa County																	
West 64				From	Goochland County Line												
	2.03	12000	F	86%	1%	1%	1%	11%	0%	F	0.083	F		11000	F	2003	
	Combined Traffic:		25000	F	86%	1%	1%	1%	11%	0%	F	NA		23000	F		
West 64				To	US 522												
	2.61	16000	F	86%	1%	1%	1%	11%	0%	F	0.105	F		14000	F	2003	
	Combined Traffic:		31000	F	86%	1%	1%	1%	11%	0%	F	NA		28000	F		
				To	Goochland County Line												
Goochland County																	
West 64				From	Louisa County Line												
	5.02	16000	F	86%	1%	1%	1%	11%	0%	F	0.105	F		14000	F	2003	
	Combined Traffic:		31000	F	86%	1%	1%	1%	11%	0%	F	NA		28000	F		
West 64				To	37-617												
	6.56	18000	F	86%	1%	1%	1%	11%	0%	F	0.119	F		16000	F	2003	
	Combined Traffic:		39000	F	86%	1%	1%	1%	11%	0%	F	NA		36000	F		
West 64				To	37-623												
	0.71	18000	N	86%	1%	1%	1%	11%	0%	N	0.119	N		16000	N	2003	
	Combined Traffic:		39000	N	86%	1%	1%	1%	11%	0%	N	NA		36000	N		
West 64				To	SR 288												
	0.74	24000	F	86%	1%	1%	1%	11%	0%	F	0.123	F		23000	F	2003	
	Combined Traffic:		49000	N	86%	1%	1%	1%	11%	0%	N	0.091	F	0.668	45000	N	
				To	Henrico County Line												
250				From	Fluvanna County Line												
	2.05	920	N	96%	1%	1%	1%	1%	0%	N	0.097	N	0.544	910	N	2003	
	250				To	37-605 Shannon Hill											
0.29		1500	G	96%	1%	1%	1%	1%	0%	F	0.092	F	0.555	1400	G	2003	
250					To	Richmond Maintenance											
	3.23	1400	F	96%	1%	1%	1%	1%	0%	C	0.095	F	0.582	1400	F	2003	
	250				To	37-606											
6.80		1200	F	96%	1%	1%	1%	1%	0%	F	0.095	F	0.514	1200	F	2003	
				To	Louisa County Line												
Louisa County																	
250				From	Goochland County Line												
	0.48	2500	F	96%	1%	1%	1%	1%	0%	F	0.094	F	0.757	2500	F	2003	
	250				To	US 522 Gum Spring											
1.63		1700	F	95%	1%	3%	0%	1%	0%	C	0.094	F	0.651	1700	F	2003	
				To	Goochland County Line												
Goochland County																	
250				From	Louisa County Line												
	6.72	2800	F	97%	1%	1%	1%	1%	0%	C	0.095	F	0.772	2900	F	2003	
	250				To	37-670 Oilville											
5.56		6000	G	97%	1%	1%	1%	1%	0%	F	NA		5800	G	2003		
				To	37-621 Manakin Rd												

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Goochland County																	
250	0.49	13000	F	97%	1%	1%	1%	1%	0%	F	0.091	F	0.649	13000	F	2003	
250	Broad St	1.75	15000	F	93%	0%	1%	5%	1%	0%	C	0.093	F	0.597	15000	F	2003
					From:	37-621 Manakin Rd											
					To:	37-623											
271	Pouncey Tract Rd	0.53	5700	F	96%	0%	1%	2%	1%	0%	C	0.098	F	0.625	5800	F	2003
					From:	Henrico County Line											
					To:	Henrico County Line											
288		3.47	4700	F	95%	0%	1%	3%	1%	0%	C	0.138	F	0.911	4700	F	2003
					From:	West Creek Parkway, gap											
					To:	US 250 Broad St											
288		0.85	3700	M	95%	0%	1%	3%	1%	0%	M	NA		4000	M	2003	
					From:	I-64											
					To:												
522		0.38	6800	F	94%	1%	1%	2%	3%	0%	F	0.123	F	0.703	7000	F	2003
					From:	Powhatan County Line											
					To:	S SR 6											
522		1.74	7900	F	94%	1%	1%	1%	3%	0%	F	0.085	F	0.571	8000	F	2003
					From:	N SR 6											
					To:	Louisa County Line											
Louisa County																	
522		0.35	4500	F	94%	1%	1%	2%	3%	0%	F	0.096	F	0.623	4600	F	2003
					From:	Goochland County Line											
					To:	US 250											
Goochland County																	
674 32		0.20	20	R								NA		NA		11/04/2002	
					From:	Dead End											
					To:	Goochland County Line											
674 32		0.20	46	R								NA		NA		11/04/2002	
					From:												
					To:	32-659											
600	Rock Castle Road	1.50	30	R								NA		NA		03/26/2003	
					From:	Dead End											
					To:	37-627 Ben Lomond Road											
600	Rock Castle Road	2.64	580	R								NA		NA		02/22/2000	
					From:												
					To:	37-625											
600	Rock Castle Road	3.73	890	R								NA		NA		02/22/2000	
					From:	SR 6											
					To:												
600	Rock Castle Road	0.53	250	R								NA		NA		02/22/2000	
					From:	37-614 Dogtown Road											
					To:												
601	Pryor Road	2.19	360	R								NA		NA		05/09/2003	
					From:	37-648 Matthews Road											
					To:	37-606											
602	Old Stage Road	0.50	20	R								NA		NA		03/20/2003	
					From:	Dead End											
					To:	37-614 Dogtown Road											
603		1.23	40	R								NA		NA		05/09/2003	
					From:	Cumberland County Line											
					To:	SR 6											
603		2.21	50	R								NA		NA		03/20/2000	
					From:												
					To:	37-667 WEST											
603		2.30	100	R								NA		NA		03/20/2000	
					From:	37-667 EAST											
					To:	37-610 EAST											
603		2.35	30	R								NA		NA		03/20/2000	
					From:	37-610 WEST											
					To:	2.35 MN 37-610											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(603)	0.51	40	R	From:	2.35 MN 37-610						NA			NA		03/20/2000
(603)	4.70	110	R	To:	37-688 Pink Dogwood Road						NA			NA		03/20/2000
				To:	Fluvanna County Line											
(604) Whitsell Road	0.44	500	R	From:	US 250						NA			NA		03/09/2003
				To:	Louisa County Line											
(605) Shannon Hill Road	0.95	470	R	From:	Fluvanna County Line						NA			NA		03/20/2000
(605) Shannon Hill Road	3.95	340	R	To:	37-610 Community House Road						NA			NA		03/20/2000
(605) Shannon Hill Road	1.95	330	R	To:	37-603						NA			NA		03/20/2000
(605) Shannon Hill Road	0.40	1400	F	To:	US 250					F	0.115	F	0.78	1400	F	2003
(605) Shannon Hill Road	0.15	1400	G	To:	0.40 MN US 250					F	0.115	N	0.78	1400	G	2003
(605) Shannon Hill Road	0.05	1200	F	To:	I-64					C	0.103	F	0.556	1200	F	2003
(605) Shannon Hill Road	0.26	1200	F	To:	FR-84					F	0.106	F	0.561	1200	F	2003
				To:	Louisa County Line											
(606)	1.07	1100	F	From:	SR 6					C	0.120	F	0.558	1200	F	2003
(606)	3.12	590	F	To:	37-667 Old Columbia Road					F	0.104	F	0.534	600	F	2003
(606)	0.02	970	F	To:	37-648 Matthews Road					F	0.108	F	0.631	990	F	2003
(606)	3.04	910	F	To:	37-673 Whitehall Road					F	0.097	F	0.630	930	F	2003
(606)	1.52	1100	F	To:	37-609 WEST					F	0.099	F	0.665	1100	F	2003
(606)	0.38	780	R	From:	37-629 Old Fredericksburg Road						NA			NA		05/09/2003
(606)	1.67	720	R	To:	US 250						NA			NA		05/09/2003
				To:	Louisa County Line											
(607)	0.40	8	R	From:	Dead End						NA			NA		02/22/2000
(607)	3.15	290	R	To:	SR 6						NA			NA		02/22/2000
				To:	US 522											
(608)	1.70	310	R	From:	Dead End						NA			NA		05/09/2003
(608)	1.20	300	R	To:	SR 6						NA			NA		05/09/2003
(608)	4.93	390	R	To:	37-606						NA			NA		08/05/2003
				To:	37-673 Whitehall Road											
(609)	2.30	180	R	From:	37-603						NA			NA		03/15/2000
				To:	37-606 WEST											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Goochland County																	
(609)	3.00	210	R	From:	37-606 EAST						NA			NA		03/15/2000	
				To:	US 250												
(610)	Community House Road	5.70	380	R	From:	Fluvanna County Line						NA			NA		05/09/2003
					To:	37-606											
(611)	Cedar Plains Road	4.13	260	R	From:	37-673 Whitehall Road						NA			NA		03/15/2000
					To:	37-615											
(612)	Three Chopt Road	2.05	420	R	From:	37-621						NA			NA		03/19/2003
					To:	US 250 EAST											
(612)	Three Chopt Road	1.45	410	R	From:	US 250 WEST						NA			NA		03/19/2003
					To:	37-654 Shallow Well Road											
(613)	Riddles Bridge Road	3.81	260	R	From:	37-615						NA			NA		03/15/2000
					To:	37-614 Dogtown Road											
(614)	Dogtown Road	2.70	520	R	From:	SR 6						NA			NA		03/20/2003
					To:	37-613 Riddles Bridge Road											
(614)	Dogtown Road	1.25	1800	R	From:	37-673 Whitehall Road						NA			NA		03/20/2003
					To:	SR 6											
(615)		4.30	230	R	From:	37-673 EAST						NA			NA		03/20/2000
					To:	37-673 WEST											
(615)		3.15	340	R	From:	37-609						NA			NA		03/16/2000
					To:	Dead End											
(616)		0.40	30	R	From:	37-618 Whittcamp Road						NA			NA		03/26/2003
					To:	37-678 Marlin Road											
(616)		1.50	260	R	From:	SR 6						NA			NA		08/05/2003
					To:	US 250											
(617)	Oilville Road	0.72	9500	F	94%	0%	1%	1%	3%	0%	C	0.117	F	0.714	9700	F	2003
					To:	I-64											
(617)	Oilville Road	0.25	4400	F	94%	0%	1%	1%	3%	0%	F	0.108	F	0.808	4500	F	2003
					To:	37-702 Pony Farm Road											
(617)	Oilville Road	0.20	2900	F	94%	0%	1%	1%	3%	0%	F	0.102	F	0.821	3000	F	2003
					To:	37-620 Hanover Road											
(617)	Oilville Road	0.33	2300	F	94%	0%	1%	1%	3%	0%	F	0.104	F	0.695	2400	F	2003
					To:	Hanover County Line											
(618)	Whittcamp Road	3.10	90	R	From:	37-616						NA			NA		02/22/2000
					To:	SR 45											
(619)	Newline Road	0.95	680	R	From:	37-700 Three Chopt Road						NA			NA		06/11/2003
					To:	Louisa County Line											
(620)	Hanover Road	0.80	890	F	95%	2%	1%	1%	0%	0%	C	0.112	F	0.527	910	F	2003
					To:	37-654 Shallow Well Road											
(620)	Hanover Road	0.80	560	F	95%	2%	1%	1%	0%	0%	F	0.123	F	0.516	570	F	2003
					To:	Hanover County Line											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(621)	Manakin Ferry Rd	0.70	60	R	From:	Dead End					NA			NA		03/19/2003
					To:	SR 6 EAST										
(621)	Manakin Rd	5.95	730	F	96%	1%	1%	1%	0%	C	0.091	F	0.56	750	F	2003
					From:	SR 6 WEST										
(621)	Manakin Rd	0.58	3900	F	96%	1%	1%	1%	0%	F	0.083	F	0.628	3900	F	2003
					To:	37-676 Hermitage Road										
(621)	Manakin Rd	2.74	1600	F	97%	0%	1%	0%	1%	C	0.098	F	0.705	1700	F	2003
					From:	US 250										
(621)	Manakin Rd	0.39	610	F	97%	0%	1%	0%	1%	F	0.116	F	0.621	620	F	2003
					To:	37-626 Seay Road										
						Hanover County Line										
(622)		1.60	490	R	From:	US 250					NA			NA		03/19/2003
					To:	37-623 NORTH										
(622)		2.35	1700	F	96%	0%	1%	2%	0%	C	0.100	F	0.713	1800	F	2003
					From:	37-623 SOUTH										
						Hanover County Line										
(623)		1.42	2600	F	89%	1%	1%	7%	2%	F	0.097	F	0.513	2600	F	2003
					From:	SR 6										
(623)		3.72	2600	F	89%	1%	1%	7%	2%	F	0.101	F	0.522	2600	F	2003
					To:	37-668 NORTH										
(623)		1.17	9800	F	89%	1%	1%	7%	2%	C	0.089	F	0.51	10000	F	2003
					From:	US 250 WEST US 250 EAST										
(623)		2.38	6000	F	75%	2%	2%	16%	5%	C	0.08	F	0.515	6100	F	2003
					To:	I-64										
						Hanover County Line										
(624)	Vinita Road	0.35	60	R	From:	Dead End					NA			NA		03/08/2000
					To:	37-650 River Road										
(625)		1.50	390	R	From:	37-600 Rock Castle Road					NA			NA		03/26/2003
					To:	37-616 SOUTH										
(625)		2.65	400	R	From:	37-616 NORTH					NA			NA		03/26/2003
					To:	SR 45										
(626)	Seay Road	2.85	480	R	From:	37-654 Shallow Well Road					NA			NA		03/13/2000
					To:	37-621										
(627)	Ben Lomond Road	1.35	30	R	From:	37-600 Rock Castle Road					NA			NA		03/26/2003
					To:	Dead End										
(628)	Lee Road	0.92	110	R	From:	Dead End					NA			NA		03/20/2003
					To:	0.92 MN Dead End										
(628)	Lee Road	1.48	250	R	From:	SR 6					NA			NA		03/06/2000
					To:	SR 6										
(629)	Old Fredericksburg Roa	0.30	560	F	95%	1%	2%	1%	2%	C	0.118	F	0.767	570	F	2003
					From:	37-606										
(629)	Old Fredericksburg Roa	0.78	1500	F	96%	1%	1%	1%	1%	C	0.121	F	0.792	1600	F	2003
					To:	US 250										
(629)	Old Fredericksburg Roa	2.04	650	R	From:	I-64					NA			NA		05/09/2003
					To:	Louisa County Line										

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(630) Cedar Point Road	0.70	70	R	From		Dead End					NA			NA		02/22/2000
				To		SR 6										
(631) Scott Road	0.25	20	R	From		Dead End					NA			NA		03/20/2003
				To		37-666 Gathright Drive										
(631) Scott Road	0.25	120	R	From		37-1205 Pitts Avenue					NA			NA		03/20/2003
				To		US 522										
(632) Fairground Road	1.66	5700	F	From		US 522				C	0.096	F	0.657	5800	F	2003
				To		37-634 Maidens Road				F						
(632) Fairground Road	1.32	7900	F	From		37-637 Hawk Town Road				F	0.107	F	0.703	8000	F	2003
				To		US 250				F						
(632) Fairground Road	2.16	7700	F	From		US 522					0.109	F	0.72	7800	F	2003
				To		37-634 Maidens Road										
(633) Poor House Road	2.12	270	R	From		US 522					NA			NA		03/15/2000
				To		37-634 Maidens Road										
(634) Maidens Road	2.40	2700	R	From		US 522					NA			NA		03/20/2003
				To		37-632 Fairground Road										
(634) Maidens Road	1.50	680	R	From		37-637 Hawk Town Road					NA			NA		03/20/2003
				To		37-702 Pony Farm Road										
(634) Maidens Road	1.80	460	R	From		37-702 Pony Farm Road					NA			NA		03/20/2003
				To		37-672 Turner Road										
(634) Maidens Road	0.50	230	R	From		37-672 Turner Road					NA			NA		03/20/2003
				To		US 250										
(635)	1.15	710	R	From		37-637 Hawk Town Road					NA			NA		03/15/2000
				To		US 250 EAST										
(635)	1.90	190	F	From		US 250 WEST				C	0.132	F	0.63	190	F	2003
				To		Louisa County Line										
(636) Elpis Church Road	0.70	250	R	From		US 250					NA			NA		03/13/2000
				To		37-702 Pony Farm Road										
(637) Hawk Town Road	1.50	260	R	From		37-632 Fairground Road					NA			NA		03/07/2000
				To		37-634 Maidens Road										
(638) Soldiers Lodge Road	0.27	50	R	From		Dead End					NA			NA		08/05/2003
				To		37-639 Sheppard Town Road										
(639) Sheppard Town Road	5.08	940	R	From		37-634 Maidens Road					NA			NA		03/07/2000
				To		37-670 Cardwell Road										
(640) Rochelle Road	0.24	120	R	From		SR 6					NA			NA		03/19/2003
				To		Dead End										
(641)	0.64	640	R	From		Dead End					NA			NA		03/06/2000
				To		37-670 SOUTH										

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Goochland County																	
(641)	3.50	280	R	From:	37-670 NORTH						NA			NA		03/06/2000	
				To:	37-644												
(642)	Dover Road	1.90	300	R	From:	SR 6						NA			NA		03/19/2003
					To:	37-641											
(643)	West View Road	1.10	40	R	From:	Dead End						NA			NA		03/22/2000
					To:	37-600 Rock Castle Road											
(644)		0.08	10	R	From:	Dead End						NA			NA		03/19/2003
					To:	SR 6 EAST											
(644)		4.50	720	R	From:	SR 6 WEST						NA			NA		03/19/2003
					To:	37-621											
(645)		1.33	440	R	From:	SR 6						NA			NA		03/06/2000
					To:	Dead End											
(646)	Duval Road	2.47	160	R	From:	37-603						NA			NA		05/09/2003
					To:	US 250											
(647)	Pagebrook Drive	0.60	800	R	From:	37-650 River Road						NA			NA		03/08/2000
(647)	Pagebrook Drive	0.10	930	R	To:	37-1109 SOUTH						NA			NA		03/08/2000
					From:												
(647)	Pagebrook Drive	0.45	920	R	From:	37-1109 NORTH						NA			NA		03/08/2000
					To:	SR 6											
(648)	Matthews Road	2.00	250	R	From:	37-610 Community House Road						NA			NA		05/09/2003
					To:	37-606											
(649)	Blair Road	1.00	630	R	From:	37-650 River Road						NA			NA		03/08/2000
					To:	SR 6											
(650)	River Road	4.37	4600	F	From:	SR 6					C	0.099	F	0.515	4700	F	2003
					To:	Henrico County Line											
(651)	Lowry Road	2.80	160	R	From:	37-667 Old Columbia Road						NA			NA		05/09/2003
					To:	37-610 Community House Road											
(652)	Dadneys Road	0.15	80	R	From:	SR 45						NA			NA		02/22/2000
					To:	37-618 Whittcamp Road											
(653)	Three Chopt Road	1.00	110	R	From:	37-605 Shannon Hill Road						NA			NA		05/09/2003
					To:	37-683 Parrish Road											
(653)	Three Chopt Road	0.85	110	R	From:							NA			NA		05/09/2003
					To:	37-604 Whitsell Road											
(654)	Shallow Well Road	3.64	480	R	From:	37-641						NA			NA		03/13/2000
					To:	37-620 Hanover Road											
(655)	First Union Road	0.12	90	R	From:	37-670 Cardwell Road						NA			NA		03/20/2003
					To:	Dead End											
(656)	Leabough Road	0.60	80	R	From:	Dead End						NA			NA		03/20/2003
					To:	37-614 Dogtown Road											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(657) Sargent Road	0.50	80	R	From:	37-670 Cardwell Road					NA			NA			03/20/2003
				To:	Dead End											
(658) Pace Road	0.50	110	R	From:	Dead End					NA			NA			03/15/2000
				To:	37-606											
(659) Creekmore Road	0.25	70	R	From:	SR 6					NA			NA			08/05/2003
				To:	Dead End											
(660) Childress Road	0.25	46	R	From:	Dead End					NA			NA			03/19/2003
				To:	37-622											
(661) Salmontown Road	0.55	140	R	From:	Dead End					NA			NA			03/26/2003
				To:	37-625											
(662) Willway Drive	0.05	960	R	From:	SR 6					NA			NA			03/09/2000
				To:	37-663; 37-664											
(662) Willway Drive	0.30	380	R	From:						NA			NA			03/22/2000
(662) Willway Drive	0.14	290	R	To:	37-714 Sawdust Drive					NA			NA			03/22/2000
				From:												
(662) Willway Drive	0.09	200	R	To:	37-1040 Edgehill Wood Drive					NA			NA			03/22/2000
				From:												
(663)	0.17	380	R	To:	37-1046 Red Maple Drive					NA			NA			03/19/2003
				From:												
(663)	0.18	110	R	To:	37-662; 37-664					NA			NA			03/19/2003
				From:												
(663)	0.13	160	R	To:	37-709 Holly Drive					NA			NA			03/19/2003
				From:												
(663)	0.13	160	R	To:	37-714 Sawdust Drive					NA			NA			03/19/2003
				From:												
(663)	0.17	150	R	To:	37-1045 Red Cedar Drive					NA			NA			03/19/2003
				From:												
(663)	0.07	160	R	To:	37-1046 Red Maple Drive					NA			NA			03/19/2003
				From:												
(664) Dogwood Drive	0.22	120	R	To:	Dead End					NA			NA			03/08/2000
				From:	Dead End											
(665) Landfill Road	0.15	210	R	To:	37-662; 37-663					NA			NA			03/20/2003
				From:	37-632 Fairground Road											
(666) Gathright Drive	0.60	230	R	To:	Dead End					NA			NA			03/20/2003
				From:	37-631 Scott Road											
(667) Old Columbia Road	3.10	180	R	To:	US 522					NA			NA			03/20/2003
				From:	Fluvanna County Line											
(667) Old Columbia Road	3.52	210	R	To:	37-651 Lowry Road					NA			NA			03/20/2000
				From:	37-606											
(668) Snead Road	0.66	490	R	To:	37-623 SOUTH					NA			NA			03/19/2003
				From:	37-623 NORTH											
(669) County Line Road	3.40	120	R	To:	37-609					NA			NA			03/15/2000
				From:	37-699 Three Chopt Road											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(669) County Line Road	0.18	130	R	From:	37-699 Three Chopt Road						NA			NA		03/15/2000
				To:	US 250											
(670) Cardwell Road	5.20	1200	F	97%	1%	1%	1%	1%	0%	C	0.096	F	0.574	1300	F	2003
				To:	US 250											
(671) Cementery Lane	0.12	40	R	From:	Dead End						NA			NA		03/15/2000
				To:	37-615											
(672) Turner Road	2.10	300	R	From:	37-633 Poor House Road						NA			NA		08/05/2003
				To:	37-634 Maidens Road											
(673) Whitehall Road	4.91	810	F	96%	1%	2%	1%	1%	0%	F	0.112	F	0.771	830	F	2003
				To:	37-611 Cedar Plains Road											
(673) Whitehall Road	2.00	1700	F	96%	1%	2%	1%	1%	0%	C	0.102	F	0.719	1700	F	2003
				To:	US 522											
(675) Ranson Road	0.01	60	R	From:	SR 6 WEST						NA			NA		06/11/2003
				To:	0.01 MN SR 6											
(675) Ranson Road	0.34	60	R	From:							NA			NA		06/11/2003
				To:	SR 6 EAST											
(676) Hermitage Road	0.43	550	R	From:	SR 6						NA			NA		03/22/2000
				To:	37-1040 Edgehill Wood Drive											
(676) Hermitage Road	1.38	480	R	From:							NA			NA		03/22/2000
				To:	37-621 SOUTH											
(676) Hermitage Road	2.85	1300	R	From:							NA			NA		03/22/2000
				To:	37-621 NORTH											
(677) Bowles Road	0.20	6	R	From:	Cul-de-Sac						NA			NA		05/09/2003
				To:	37-605 Shannon Hill Road											
(678) Marlin Road	1.00	150	R	From:	Dead End						NA			NA		03/26/2003
				To:	37-616											
(679)	0.16	NA		From:	37-605 Shannon Hill Road						NA			NA		
				To:	Dead End											
(680) Youngstown Road	0.88	70	R	From:	Dead End						NA			NA		06/11/2003
				To:	SR 6											
(681) Payne Road	2.00	110	R	From:	Dead End						NA			NA		05/09/2003
				To:	37-605 Shannon Hill Road											
(683) Parrish Road	0.29	130	R	From:	37-653 Three Chopt Road						NA			NA		05/09/2003
				To:	Louisa County Line											
(684) Ragland Road	0.80	100	R	From:	Dead End						NA			NA		03/26/2003
				To:	37-625											
(685) Johnson Road	0.50	620	R	From:	37-623						NA			NA		03/19/2003
				To:	Dead End											
(686) New Town Road	0.85	190	R	From:	Dead End						NA			NA		02/22/2000
				To:	37-600 Rock Castle Road											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(687) Danieltown Road	2.50	160	R	From:	SR 6					NA			NA			06/11/2003
				To:	37-608											
(688) Pink Dogwood Road	0.50	20	R	From:	37-603					NA			NA			05/09/2003
				To:	Dead End											
(689) Robinson Road	0.30	70	R	From:	Dead End					NA			NA			03/20/2003
				To:	0.30 MS Dead End											
(689) Robinson Road	0.20	70	R	From:						NA			NA			03/20/2003
				To:	37-614 Dogtown Road											
(690) Springfield Road	0.35	110	R	From:	Dead End					NA			NA			03/20/2003
				To:	37-614 Dogtown Road											
(691) Stage Coach Road	0.25	140	R	From:	37-644					NA			NA			03/19/2003
				To:	Dead End											
(692) Bell Road	0.50	130	R	From:	Dead End					NA			NA			03/20/2003
				To:	37-613 Riddles Bridge Road											
(693) Martin Road	0.60	40	R	From:	Dead End					NA			NA			05/09/2003
				To:	37-605 Shannon Hill Road											
(694) Proffitt Road	0.48	140	R	From:	Cul-de-Sac					NA			NA			05/09/2003
				To:	37-621											
(695) No Name	0.40	120	R	From:	US 250					NA			NA			03/15/2000
				To:	Cul-de-Sac											
(696) Pacetown Road	0.59	140	R	From:	Dead End					NA			NA			03/15/2000
				To:	37-615											
(697) Marle Road	0.36	7	R	From:	37-667 Old Columbia Road					NA			NA			05/09/2003
				To:	Dead End											
(698) Mickeytown Road	0.12	50	R	From:	37-632 Fairground Road					NA			NA			03/06/2000
				To:	37-637 Hawk Town Road											
(699) Three Chopt Road	1.30	200	R	From:	37-606					NA			NA			05/09/2003
				To:	37-695 No Name											
(699) Three Chopt Road	0.20	30	R	From:						NA			NA			05/09/2003
				To:	US 250											
(699) Three Chopt Road	1.35	80	R	From:						NA			NA			05/09/2003
				To:	37-669 County Line Road											
(700) Three Chopt Road	3.20	660	R	From:	US 250 WEST					NA			NA			03/15/2000
				To:	US 250 EAST											
(701) Oakland Church Road	0.35	470	R	From:	US 250					NA			NA			03/20/2003
				To:	Louisa County Line											
(702) Pony Farm Road	0.20	380	R	From:	37-634 Maidens Road					NA			NA			03/13/2000
				To:	US 250											
(702) Pony Farm Road	0.70	200	R	From:						NA			NA			03/20/2003
				To:	37-636 Elpis Church Road											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(702) Pony Farm Road	0.90	360	R	From:	37-636 Elpis Church Road						NA			NA		03/13/2000
				To:	37-635 WEST											
(702) Pony Farm Road	3.25	350	R	From:	37-635 EAST						NA			NA		03/13/2000
				To:	37-617 Oilville Road											
(703) Herndon Road	0.30	40	R	From:	Dead End						NA			NA		05/09/2003
				To:	37-601 Pryor Road											
(704) Alvis Road	0.40	120	R	From:	Dead End						NA			NA		03/13/2000
				To:	37-612 Three Chopt Road											
(705) No Name	0.60	390	R	From:	Cul-de-Sac						NA			NA		06/11/2003
				To:	US 250											
(706) Jerusalem Church Road	0.23	30	R	From:	37-612 Three Chopt Road						NA			NA		03/13/2000
				To:	Dead End											
(707) Hackney Road	0.33	100	R	From:	Dead End						NA			NA		03/26/2003
				To:	SR 45											
(708) St. Matthew Lane	0.71	1100	R	From:	US 250						NA			NA		03/13/2000
(708) St. Matthew Lane	0.22	45	R	To:	37-622						NA			NA		03/13/2000
				To:	Dead End											
(709) Holly Drive	0.18	120	R	From:	37-663						NA			NA		03/19/2003
				To:	Cul-de-Sac											
(710) Maidens Loop	0.31	130	R	From:	US 522 NORTH						NA			NA		03/20/2000
				To:	US 522 SOUTH											
(711) No Name	0.03	5	R	From:	Dead End						NA			NA		03/20/2000
				To:	37-710 Maidens Loop											
(712)	1.07	120	R	From:	Begin Loop						NA			NA		03/06/2000
				To:	End Loop											
(712)	0.54	340	R	From:							NA			NA		03/06/2000
				To:	37-621											
(713) Grays Lane	0.20	70	R	From:	Dead End						NA			NA		03/20/2003
				To:	37-614 Dogtown Road											
(714) Sawdust Drive	0.25	90	R	From:	Cul-de-Sac						NA			NA		03/22/2000
(714) Sawdust Drive	0.18	60	R	To:	37-662 Willway Drive						NA			NA		03/22/2000
				From:												
(714) Sawdust Drive	0.07	47	R	To:	37-715 Birch Circle						NA			NA		03/22/2000
				To:	37-663											
(715) Birch Circle	0.08	60	R	From:	37-714 Sawdust Drive						NA			NA		03/19/2003
				To:	Cul-de-Sac											
(718) Halls Road	0.80	330	R	From:	37-629 Old Fredericksburg Road						NA			NA		03/15/2000
				To:	Louisa County Line											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(720) Rollins Drive	0.34	50	R	From:	Dead End					NA			NA			05/09/2003
				To:	37-699 Three Chopt Road											
(724)	0.92	NA		From:	SR-00006(B)/					NA			NA			
				To:	US-00522(B)/											
(725) Nelwood Road	0.07	60	R	From:	37-727 Nelwood Place					NA			NA			03/22/2000
				To:	37-726 Nelwood Cove											
(725) Nelwood Road	0.31	70	R	From:						NA			NA			03/22/2000
				To:	37-621											
(726) Nelwood Cove	0.06	30	R	From:	Cul-de-Sac					NA			NA			03/22/2000
				To:	37-725 Nelwood Road											
(727) Nelwood Place	0.11	50	R	From:	37-725 Nelwood Road					NA			NA			03/22/2000
				To:	Cul-de-Sac											
(730)	0.08	180	R	From:	Dead End					NA			NA			03/20/2003
				To:	37-634 Maidens Road											
(735)	0.55	160	R	From:	Dead End					NA			NA			07/02/2003
				To:	37-702 Pony Farm Road											
(737)	0.81	60	R	From:	37-619 Newline Road					NA			NA			07/02/2003
				To:	37-1140 Fox Chase Run											
(737)	2.25	60	N	From:						NA			NA			07/02/2003
				To:	Dead End											
(1000) Plaza Drive	0.33	1500	R	From:	US 250					NA			NA			03/19/2003
				To:	37-1013 Briggs Drive											
(1000) Plaza Drive	0.09	1300	R	From:						NA			NA			03/19/2003
				To:	37-708 St. Matthew Lane											
(1000) Plaza Drive	0.29	1900	R	From:						NA			NA			03/19/2003
				To:	37-623											
(1001) Mills Road	0.13	140	R	From:	US 250					NA			NA			03/13/2000
				To:	37-1002 Pamela Lane											
(1002) Pamela Lane	0.09	110	R	From:	37-1001 Mills Road					NA			NA			03/13/2000
				To:	37-1004 Dorothy Drive											
(1002) Pamela Lane	0.17	50	R	From:						NA			NA			03/19/2003
				To:	37-1003 Burfoot Road											
(1002) Pamela Lane	0.07	9	R	From:						NA			NA			03/19/2003
				To:	Dead End											
(1003) Burfoot Road	0.09	30	R	From:	37-1005 Fawn Lane					NA			NA			03/13/2000
				To:	37-1002 Pamela Lane											
(1004) Dorothy Drive	0.09	30	R	From:	37-1002 Pamela Lane					NA			NA			03/19/2003
				To:	37-1005 Fawn Lane											
(1005) Fawn Lane	0.15	20	R	From:	37-1004 Dorothy Drive					NA			NA			03/13/2000
				To:	37-1003 Burfoot Road											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1005) Fawn Lane	0.07	20	R	From:	37-1003 Burfoot Road						NA			NA		03/13/2000
				To:	Dead End											
(1006) Holly Lane	0.16	420	R	From:	37-623						NA			NA		03/19/2003
				To:	37-1007 Oak Lane											
(1006) Holly Lane	0.09	360	R	From:							NA			NA		03/19/2003
				To:	37-1008 Birch Road											
(1006) Holly Lane	0.10	220	R	From:							NA			NA		03/19/2003
				To:	37-1009 Cedar Circle											
(1006) Holly Lane	0.04	30	R	From:							NA			NA		03/19/2003
				To:	Dead End											
(1007) Oak Lane	0.06	50	R	From:	37-1006 Holly Lane						NA			NA		03/13/2000
				To:	Dead End											
(1008) Birch Road	0.05	60	R	From:	37-1006 Holly Lane						NA			NA		03/19/2003
				To:	37-1009 Cedar Circle											
(1008) Birch Road	0.04	20	R	From:							NA			NA		03/19/2003
				To:	Dead End											
(1009) Cedar Circle	0.12	60	R	From:	37-1008 Birch Road						NA			NA		03/13/2000
				To:	37-1006 Holly Lane											
(1010) Whippoorwill Road	0.37	190	R	From:	Dead End						NA			NA		03/19/2003
				To:	US 250											
(1011) Valentine Road	0.05	20	R	From:	37-708 St. Matthew Lane						NA			NA		04/03/2000
				To:	Dead End											
(1012) Little Falls Lane	0.29	150	R	From:	37-708 St. Matthew Lane						NA			NA		03/19/2003
				To:	Cul-de-Sac											
(1013) Briggs Drive	0.19	1300	R	From:	US 250						NA			NA		03/13/2000
				To:	37-1000 Plaza Drive											
(1014) Goins Road	0.23	30	R	From:	37-623						NA			NA		03/13/2000
				To:	37-623											
(1019)	0.23	NA		From:	Cul-de-Sac/						NA			NA		
				To:	37-00621(R)/											
(1020) Broad Run Drive	0.10	260	R	From:	37-621						NA			NA		03/19/2003
				To:	37-1021 Deer Run Road											
(1020) Broad Run Drive	0.48	140	R	From:							NA			NA		03/19/2003
				To:	Cul-de-Sac											
(1021) Deer Run Road	0.30	120	R	From:	37-1020 Broad Run Drive						NA			NA		03/19/2003
				To:	Cul-de-Sac											
(1022) Red Fox Road	0.16	50	R	From:	37-621						NA			NA		03/06/2000
				To:	Cul-de-Sac											
(1023) Mellick Ridge Road	0.33	60	R	From:	Cul-de-Sac						NA			NA		03/06/2000
				To:	37-1024 Mellick Ridge Court											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1023) Mellick Ridge Road	0.08	110	R	From	37-1024 Mellick Ridge Court					NA			NA		03/06/2000	
				To	37-621											
(1024) Mellick Ridge Court	0.14	40	R	From	Cul-de-Sac					NA			NA		03/06/2000	
				To	37-1023 Mellick Ridge Road											
(1025)	0.06	NA		From	Cul-de-Sac					NA			NA			
				To	37-676 Hermitage Road											
(1026) Hunting Ridge Road	0.34	110	R	From	Cul-de-Sac					NA			NA		03/08/2000	
				To	37-1028 Quail Run Drive											
(1026) Hunting Ridge Road	0.40	260	R	From						NA			NA		03/08/2000	
				To	37-1027 WEST											
(1026) Hunting Ridge Road	0.04	280	R	From						NA			NA		03/08/2000	
				To	37-1027 EAST											
(1026) Hunting Ridge Road	0.07	300	R	From						NA			NA		03/08/2000	
				To	37-676 Hermitage Road											
(1027) Game Bird Court	0.16	60	R	From	37-1026 Hunting Ridge Road					NA			NA		03/19/2003	
				To	37-1026 Hunting Ridge Road											
(1028) Quail Run Drive	0.36	90	R	From	Cul-de-Sac					NA			NA		03/08/2000	
				To	37-1026 Hunting Ridge Road											
(1029) Hawk Wing Drive	0.34	70	R	From	Cul-de-Sac					NA			NA		03/19/2003	
				To	37-676 Hermitage Road											
(1030) Holly Lake Drive	0.14	60	R	From	Cul-de-Sac					NA			NA		03/08/2000	
				To	37-1031 Rolling Lake Court											
(1030) Holly Lake Drive	0.19	120	R	From						NA			NA		03/08/2000	
				To	37-676 Hermitage Road											
(1031) Rolling Lake Court	0.13	46	R	From	Cul-de-Sac					NA			NA		03/19/2003	
				To	37-1030 Holly Lake Drive											
(1032) First Flite Lane	0.30	40	R	From	Cul-de-Sac					NA			NA		03/19/2003	
				To	37-676 Hermitage Road											
(1035) Perrow Lane	0.50	80	R	From	Cul-de-Sac					NA			NA		03/08/2000	
				To	37-676 Hermitage Road											
(1037)	0.05	NA		From	37-676 Hermitage Road					NA			NA			
				To	Cul-de-Sac											
(1038) Elm Creek Drive	0.38	170	R	From	37-1039 Crossridge Lane					NA			NA		03/08/2000	
				To	37-676 Hermitage Road											
(1039) Crossridge Lane	0.33	80	R	From	Cul-de-Sac					NA			NA		03/08/2000	
				To	37-1038 Elm Creek Drive											
(1039) Crossridge Lane	0.46	80	R	From						NA			NA		03/08/2000	
				To	Cul-de-Sac											
(1040) Edgehill Wood Drive	0.42	160	R	From	37-676 Hermitage Road					NA			NA		03/20/2000	
				To	37-1041 Edgehill Wood Court											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1040) Edgehill Wood Drive	0.14	150	R	From:	37-1041 Edgehill Wood Court						NA			NA		03/20/2000
				To:	37-662 Willway Drive											
(1041) Edgehill Wood Court	0.13	60	R	From:	37-1040 Edgehill Wood Drive						NA			NA		03/19/2003
				To:	Cul-de-Sac											
(1042)	0.89	NA		From:	Cul-de-Sac						NA			NA		
				To:	37-676 Hermitage Road											
(1043)	0.08	NA		From:	37-1042						NA			NA		
				To:	Cul-de-Sac											
(1044)	0.10	NA		From:	37-1042						NA			NA		
				To:	Cul-de-Sac											
(1045) Red Cedar Drive	0.14	30	R	From:	37-663						NA			NA		03/20/2000
				To:	37-1046 Red Maple Drive											
(1046) Red Maple Drive	0.11	160	R	From:	37-662 Willway Drive						NA			NA		03/19/2003
				To:	37-1045 Red Cedar Drive											
(1046) Red Maple Drive	0.16	80	R	From:							NA			NA		03/19/2003
				To:	37-663											
(1050) Adventure Lane	0.23	210	R	From:	37-1052 White Horse Road						NA			NA		03/06/2000
				To:	37-634 Maidens Road											
(1051) Rohrer Road	0.07	30	R	From:	37-1050 Adventure Lane						NA			NA		03/06/2000
				To:	Cul-de-Sac											
(1052) White Horse Road	0.15	80	R	From:	Cul-de-Sac SOUTH						NA			NA		03/06/2000
				To:	37-1050 Adventure Lane											
(1052) White Horse Road	0.09	80	R	From:							NA			NA		03/06/2000
				To:	Cul-de-Sac NORTH											
(1055) Alldever Drive	0.15	140	R	From:	37-634 Maidens Road						NA			NA		03/06/2000
				To:	37-1056 Craig Run Court											
(1055) Alldever Drive	0.35	70	R	From:							NA			NA		03/06/2000
				To:	Cul-de-Sac											
(1056) Craig Run Court	0.11	40	R	From:	Cul-de-Sac						NA			NA		03/06/2000
				To:	37-1055 Alldever Drive											
(1058) Log Cabin Road	0.86	310	R	From:	Cul-de-Sac						NA			NA		03/20/2003
				To:	37-634 Maidens Road											
(1059) Old Store Road	0.12	40	R	From:	Cul-de-Sac						NA			NA		03/20/2003
				To:	37-1058 Log Cabin Road											
(1060) Brittland Drive	0.52	130	R	From:	37-626 Seay Road						NA			NA		03/13/2000
				To:	Cul-de-Sac											
(1064) Sycamore Creek Drive	0.27	60	R	From:	US 250						NA			NA		03/13/2000
				To:	Cul-de-Sac											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1065) Rabbit Warren Road	0.21	49	R	From:	US 250					NA			NA			04/03/2000
				To:	Cul-de-Sac											
(1078)	0.22	70	R	From:	37-639 Sheppard Town Road					NA			NA			03/20/2003
				To:	Cul-de-Sac											
(1079)	0.13	47	R	From:	37-639 Sheppard Town Road					NA			NA			03/20/2003
				To:	Cul-de-Sac											
(1080) Greenbriar Branch Drive	0.35	180	R	From:	37-632 Fairground Road					NA			NA			03/20/2003
				To:	37-1081 Wicker Woods Drive											
(1080) Greenbriar Branch Drive	0.11	60	R	From:	37-1081 Wicker Woods Drive					NA			NA			03/20/2003
				To:	Cul-de-Sac											
(1081) Wicker Woods Drive	0.23	60	R	From:	37-1080 Greenbriar Branch Drive					NA			NA			03/20/2000
				To:	Cul-de-Sac											
(1086)	0.09	NA		From:	Cul-de-Sac					NA			NA			
				To:	37-1092 Tranbycroft Way											
(1087)	0.46	NA		From:	Cul-de-Sac					NA			NA			
				To:	Cul-de-Sac											
(1088)	0.06	NA		From:	37-1092 Tranbycroft Way					NA			NA			
				To:	Cul-de-Sac											
(1089)	0.03	NA		From:	37-1092 Tranbycroft Way					NA			NA			
				To:	Louisa County Line											
(1090) Broadland Way	0.50	450	R	From:	US 522					NA			NA			03/20/2000
				To:	37-1091											
(1090) Broadland Way	0.15	360	R	From:	37-1091					NA			NA			03/20/2000
				To:	37-1092 Tranbycroft Way											
(1091)	0.09	48	R	From:	37-1090 Broadland Way					NA			NA			03/20/2000
				To:	Cul-de-Sac											
(1092) Tranbycroft Way	0.93	NA		From:	Cul-de-Sac					NA			NA			
				To:	37-1090 Broadland Way											
(1092) Tranbycroft Way	0.23	210	R	From:	37-1090 Broadland Way					NA			NA			03/20/2000
				To:	37-1093 Kingsmere Drive											
(1092) Tranbycroft Way	0.06	30	R	From:	37-1093 Kingsmere Drive					NA			NA			03/20/2000
				To:	Cul-de-Sac											
(1093) Kingsmere Drive	0.09	40	R	From:	Cul-de-Sac					NA			NA			03/20/2000
				To:	37-1094 Parkhouse Court											
(1093) Kingsmere Drive	0.11	160	R	From:	37-1094 Parkhouse Court					NA			NA			03/20/2000
				To:	37-1092 Tranbycroft Way											
(1094) Parkhouse Court	0.17	70	R	From:	Cul-de-Sac					NA			NA			03/20/2000
				To:	37-1093 Kingsmere Drive											
(1094) Parkhouse Court	0.15	40	R	From:	37-1093 Kingsmere Drive					NA			NA			03/20/2000
				To:	Cul-de-Sac											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1101) Berkley Drive	0.10	590	R	From:	37-1102 Brook Run Drive					NA		NA		03/20/2003		
				To:	37-650 River Road											
(1102) Brook Run Drive	0.10	20	R	From:	Dead End					NA		NA		03/08/2000		
				To:	37-1104 WEST											
(1102) Brook Run Drive	0.40	330	R	From:						NA		NA		03/08/2000		
				To:	37-1101 Berkley Drive											
(1102) Brook Run Drive	0.03	400	R	From:						NA		NA		03/08/2000		
				To:	37-1103 Sweetbriar Drive											
(1102) Brook Run Drive	0.49	160	R	From:						NA		NA		03/08/2000		
				To:	37-1104 EAST											
(1103) Sweetbriar Drive	0.12	60	R	From:	Dead End					NA		NA		03/20/2003		
				To:	37-1104 Ashley Drive											
(1103) Sweetbriar Drive	0.40	280	R	From:						NA		NA		03/20/2003		
				To:	37-1102 Brook Run Drive											
(1104) Ashley Drive	0.10	60	R	From:	37-1102 WEST					NA		NA		03/08/2000		
				To:	37-1103 Sweetbriar Drive											
(1104) Ashley Drive	0.08	70	R	From:						NA		NA		03/08/2000		
				To:	37-1102 EAST											
(1105) Willow Oaks Road	0.20	120	R	From:	Dead End					NA		NA		03/20/2003		
				To:	37-650 River Road											
(1106) Lower Tuckahoe Road	0.06	590	R	From:	37-1107					NA		NA		03/08/2000		
				To:	37-650 River Road											
(1107)	0.37	130	R	From:	Dead End					NA		NA		03/20/2003		
				To:	37-1108 Roads End Lane											
(1107)	0.29	270	R	From:						NA		NA		03/20/2003		
				To:	37-1106 Lower Tuckahoe Road											
(1107)	0.06	290	R	From:						NA		NA		03/20/2003		
				To:	37-1111 WEST											
(1107)	0.11	340	R	From:						NA		NA		03/20/2003		
				To:	37-1113 Buck Branch Drive											
(1107)	0.07	330	R	From:						NA		NA		03/20/2003		
				To:	37-1111 EAST											
(1107)	0.12	560	R	From:						NA		NA		03/20/2003		
				To:	37-1120 Hill Point Road											
(1107)	0.05	170	R	From:						NA		NA		03/20/2003		
				To:	37-1121 Lower Tuckahoe Court											
(1107)	0.11	100	R	From:						NA		NA		03/20/2003		
				To:	Cul-de-Sac											
(1108) Roads End Lane	0.13	70	R	From:	37-1107					NA		NA		03/08/2000		
				To:	Dead End											
(1109) Briarwood Circle	0.24	100	R	From:	37-647 Pagebrook Drive					NA		NA		03/20/2003		
				To:	37-647 Pagebrook Drive											
(1110) Knollwood Drive	0.12	60	R	From:	37-647 Pagebrook Drive					NA		NA		03/08/2000		
				To:	Cul-de-Sac											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1111) Dahlgren Road	0.54	300	R		From:	37-1107 WEST					NA			NA		03/20/2003
(1111) Dahlgren Road	0.15	130	R		To:	37-1113 Buck Branch Drive					NA			NA		03/20/2003
(1111) Dahlgren Road	0.11	180	R		To:	37-1114 Dover Place					NA			NA		03/20/2003
					To:	37-1107 EAST										
(1112) Flag Stage Road	0.25	90	R		From:	Dead End					NA			NA		03/08/2000
					To:	37-650 River Road										
(1113) Buck Branch Drive	0.29	180	R		From:	Dead End					NA			NA		03/20/2003
					To:	37-1111 Dahlgren Road										
(1114) Dover Place	0.05	20	R		From:	37-1111 Dahlgren Road					NA			NA		03/08/2000
					To:	Dead End										
(1115) Partridge Road	0.50	140	R		From:	Cul-de-Sac					NA			NA		03/20/2003
					To:	37-650 River Road										
(1116) Mystic Court	0.15	60	R		From:	Dead End					NA			NA		03/08/2000
					To:	37-1111 Dahlgren Road										
(1120) Hill Point Road	0.17	120	R		From:	Dead End					NA			NA		03/08/2000
(1120) Hill Point Road	0.25	280	R		To:	37-1122 Hill Point Court					NA			NA		03/08/2000
(1120) Hill Point Road	0.05	510	R		To:	37-1107					NA			NA		03/08/2000
					To:	37-650 River Road										
(1121) Lower Tuckahoe Court	0.06	47	R		From:	Cul-de-Sac					NA			NA		03/20/2003
					To:	37-1107										
(1122) Hill Point Court	0.05	50	R		From:	37-1120 Hill Point Road					NA			NA		03/08/2000
					To:	Dead End										
(1123)	0.11	NA			From:	37-1120 Hill Point Road					NA			NA		
					To:	Dead End										
(1128)	0.41	NA			From:	Cul-de-Sac					NA			NA		
					To:	US 250; 37-699										
(1129)	0.33	NA			From:	Cul-de-Sac					NA			NA		
					To:	37-1128										
(1130)	0.02	180	R		From:	Dead End					NA			NA		03/13/2000
(1130)	0.20	320	R		To:	37-1131 WEST					NA			NA		03/13/2000
(1130)	0.49	630	R		To:	37-1131 EAST					NA			NA		03/13/2000
					To:	37-621										
(1131) Wheatlands Drive	1.12	210	R		From:	37-1130 WEST					NA			NA		03/20/2003
					To:	37-1130 EAST										

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1134)	0.17	200	R	From:	Cul-de-Sac				NA	NA	03/20/2003					
				To:	37-621											
(1135) Ford Road	0.76	320	R	From:	Dead End				NA	NA	03/13/2000					
				To:	37-621											
(1136) Fed Lane	0.33	100	R	From:	Dead End				NA	NA	03/13/2000					
				To:	37-1135 Ford Road											
(1140) Fox Chase Run	0.40	240	R	From:	FR-87				NA	NA	03/15/2000					
				To:	37-1141 West Grey Fox Circle											
(1141) West Grey Fox Circle	0.95	210	R	From:	37-1142 EAST				NA	NA	06/11/2003					
				To:	37-1142 WEST											
(1142)	0.11	90	R	From:	Cul-de-Sac				NA	NA	06/11/2003					
				To:	37-1141 WEST											
(1142)	0.39	90	R	From:					NA	NA	06/11/2003					
				To:	Cul-de-Sac											
(1143)	0.37	NA		From:	Cul-de-Sac				NA	NA						
				To:	37-676; 37-1038											
(1144)	0.08	NA		From:	37-1143				NA	NA						
				To:	Cul-de-Sac											
(1145)	0.55	NA		From:	US 522				NA	NA						
				To:	37-1146											
(1146)	0.77	NA		From:	Cul-de-Sac				NA	NA						
				To:	Cul-de-Sac											
(1200)	0.28	410	R	From:	37-617 Oilville Road				NA	NA	03/13/2000					
				To:	Dead End											
(1201) Courthouse Drive	0.10	780	R	From:	US 522				NA	NA	03/20/2000					
				To:	37-1202											
(1202)	0.28	530	R	From:	US 522				NA	NA	03/20/2003					
				To:	37-1201 Courthouse Drive											
(1205) Pitts Avenue	0.22	150	R	From:	37-631 Scott Road				NA	NA	03/20/2000					
				To:	37-666 Gathright Drive											
(1210) Horsepen Road	0.49	130	R	From:	Cul-de-Sac				NA	NA	03/20/2003					
				To:	37-632 Fairground Road											
(1213) Road A	0.08	670	R	From:	US 250				NA	NA	03/13/2000					
				To:	37-1214 Road B											
(1213) Road A	0.09	420	R	From:					NA	NA	03/13/2000					
				To:	Dead End											
(1214) Road B	0.18	360	R	From:	37-1213 Road A				NA	NA	06/01/2003					
				To:	Cul-de-Sac											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1215) Valpark Drive	0.59	110	R	From:	37-1213 Road A					NA			NA			06/01/2003
				To:	FR-92											
(1216)	0.56	110	R	From:	37-1215 Valpark Drive					NA			NA			06/01/2003
				To:	37-1215 Valpark Drive											
(1220) Fox Downs Lane	0.41	80	R	From:	Cul-de-Sac					NA			NA			03/13/2000
				To:	37-1222 Huntsman Circle											
(1220) Fox Downs Lane	0.59	200	R	From:						NA			NA			03/13/2000
(1220) Fox Downs Lane	0.34	280	R	From:	37-1221 Lake Pointe Circle					NA			NA			03/13/2000
				To:	US 250											
(1221) Lake Pointe Circle	0.08	60	R	From:	Cul-de-Sac					NA			NA			06/17/2003
				To:	37-1220 Fox Downs Lane											
(1222) Huntsman Circle	0.14	30	R	From:	37-1220 Fox Downs Lane					NA			NA			03/13/2000
				To:	Cul-de-Sac											
(1223)	0.40	NA		From:	Cul-de-Sac/					NA			NA			
				To:	37-00632(B)/											
(1224)	0.09	NA		From:	37-01223(B)/					NA			NA			
				To:	Cul-de-Sac/											
(1225)	0.16	NA		From:	37-01226(B)/					NA			NA			
				To:	37-01223(B)/											
(1226)	0.15	NA		From:	Cul-de-Sac/					NA			NA			
				To:	Cul-de-Sac/											
(1230) Shade Hunter La	0.30	80	R	From:	37-632 Fairground Road					NA			NA			03/20/2003
				To:	Cul-de-Sac											
(1240) Hill Stream Drive	0.25	110	R	From:	Cul-de-Sac					NA			NA			03/13/2000
				To:	37-620 Hanover Road											
(1250) West Creek Parkway	2.97	NA		From:	SR 6 WEST					NA			NA			
				To:	SR 6 EAST											
(9168) Byrd Prim. School	0.07	310	R	From:	Byrd Primary School					NA			NA			04/03/2000
				To:	37-606											
(9170) Goochland Elem. Schoo	0.14	480	R	From:	Goochland Elementary School					NA			NA			04/03/2000
				To:	SR 6											
(9171) Goochland High School	0.08	480	R	From:	Goochland High School					NA			NA			04/03/2000
				To:	US 522											
(9172) Cardwell School	0.09	230	R	From:	Chadwell School					NA			NA			03/20/2003
				To:	37-670 Cardwell Road											
(9173) Randolph Elem School	0.10	550	R	From:	Randolph School					NA			NA			03/22/2000
				To:	37-639 Sheppard Town Road											

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route		Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
							2Axle	3+Axle	1Trail	2Trail							
<u>Goochland County</u>																	
9174	Central High School	0.17	520	R	From:	37-614 Dogtown Road						NA			NA		04/03/2000
					To:	Goochland Jr High											
9661	Gooch. Central Elem	0.08	320	R	From:	37-614 Dogtown Road						NA			NA		06/02/2003
					To:	Kanawha Elem School											
771 42	Echo Meadows Road	0.63	410	R	From:	Hanover County Line						NA			NA		08/09/2002
					To:	Hanover County Line											